



Prestel CS-EPB2X10

Extended Power Supply Box



SPECIFICATION

1、Product profile

1.1Product picture



2、Product specifications and parameters

2.1 Functional parameter

1. The all-digital relay manager is an efficient connection and management device designed for conference microphones, aiming to achieve seamless expansion and optimization of conference systems. The device integrates advanced digital signal processing technology, provides stable power supply and rich interface options, and ensures high quality and high efficiency of communication between conference microphones.

2. Power supply specifications: Built-in 65W high-efficiency power supply to ensure stable power supply, while also having overload protection and energy-saving features.

3. Interface: Equipped with 2 interfaces, each interface supports independent power supply and signal transmission, and can be directly connected to conference microphones to meet the layout requirements of large-scale conferences.

4. Digital signal processing: Adopting all-digital signal processing technology to ensure the clarity and stability of signal transmission between conference microphones, effectively reducing

interference and distortion.

5. Intelligent management: With intelligent identification and configuration functions, it automatically detects the type and status of the connected conference microphone, and simplifies the system setup and maintenance process.

6. Compatibility: Compatible with a variety of conference microphone standards, ensuring seamless integration with existing conference systems, and improving the flexibility and efficiency of conference organization.

7. Safety features: Built-in multiple safety mechanisms, including overvoltage, overcurrent, and short-circuit protection, to ensure the safe operation of the equipment and conference microphone.

8. Installation and maintenance: Supports wall-mounted installation or under-table placement, compact design, easy maintenance and upgrade;